
Chemistry

First Secondary



Mr. Sherif Hawary











Unit One

Chapter 1



GPS-APP

تطبيق التعلم التفاعلي عن بعد


Chemistry and measurement

science

An organized structure of knowledge that includes facts, principles, laws and scientific theories.

Chemistry

Science that studies the composition, properties of matter, changes that occur to it and reactions between substances.







Fields of Chemistry

In ancient times


- ✓ Metal and mining
- ✓ production of colors and glasses.
- ✓ Tanning and dying clothes
- ✓ Medicines.
- ✓ Mummifying





Nowadays

- ✓ properties of substances.
- ✓ Structure of atoms and molecules.
- ✓ Solving some problems as pollution





Youtube Channel:
Mr.Science



التعلم التفاعلي عن بعد



Facebook Page:
Mr Science

Relation between chemistry and other branches of science

Biology

Biology: Study the living organisms.

Chemistry: Study reactions inside the body as digestion

Chemistry + biology = Biochemistry

Biochemistry:

Science study the chemical structure of proteins, fats and carbohydrate

Physics

Physics: study natural phenomena as motion, force, light.

Chemistry + physics = Physical chemistry

Study

- -Properties of substances.
- -Structure of these substances

Medicine & Pharmacy

Chemistry studies:

Nature and function of hormones and enzymes in the body.

Medicine:

they are chemical substances that have healing properties.

نعد

تطبيق التعلم التفاعلي



Youtube Channel:
Mr.Science

Contact: 01001852981



Facebook Page:
Mr Science

Agriculture:

Chemistry helps in:

- 1-Choosing the suitable soil.
- 2-Suitable fertilizer

Future

Discover substances with extraordinary properties through nano chemistry

Measurement in chemistry

Measurement:

Comparison of unknown quantity with another known one.

Results of measurement: PS-APP

- 1-Numerical value: to describe the physical quantity
- 2-Measuring unit







Measuring unit:

It is a certain portion of a certain physical quantity

Importance of measurement:

- 1-Gaining information about substances.
- 2-Monitoring and rotection.
- 3-Evaluate a situation and suggest medicine as (glucose in blood)

2024


Measurement Tools

Sensitive Balance

- Use: measure the mass of substances
- **Types:** Digital balances
- Most common: Top
 loading balances

Burette

- Description: Long glass tube with two opening the graduation zero is close to upper opening
- Use: Titration
- Note: It should be fixed on a holder with a metallic Base









Beakers

- Use: Measure approximate volume of solutions
 Transporting solutions
- **Description:** transparent beakers made of pyrex glass



- **Description:** Long glass tube opened from the two sides
- Use: Measure and transport certain volume of solution
- **Note:** vacuum should be used to avoid harms







2024

Graduated cylinder

تطبيق التعلم التفاعلي عن بعد

 Use: Measure the volume of liquids with high accuracy Measure the volume of solid





Flasks

• **Description:** has many shapes

Type	Conical flask	Round-bottom flask	Volumetric flask
	Titration	Preparation	Prepare solution
		and	with accurate
Use		distillation	concentration

Tools for measuring PH

تطبيق التعلم التفاعلي عن بعد


2024

PH:

- ➤ It is the measurement that determine if the substance is acid or base or neutral.
- > It is the measurement of concentration of hydrogen ions in solution.

Tools to detect PH

- litmus paper (by changing their color)
- ➤ Digital apparatus (more accurate and it measures PH directly)



PH meter is more accurate in measuring PH of a solution. (G.R)

Because PH meter can determine if the solution is acid or base and also determine the concentration of hydrogen ions in the solution while PH tape is used to know if the substance is acid or base only



تطبيق التعلم التفاعلي عن بعد





Chapter 1



* Write the scientific term:

a. The science which is interested in studying the chemical structure of the
parts of the cell.
()
b. The science that is interested in studying the properties and structure of matte
()
c. Chemical compounds that have healing properties.
()
d. A flask used in titration. GPS-APP
(ـــــــــــــــــــــــــــــــــــــ
e. A glass tube with two opening used to measure and transport a certain
volume of liquids.
()
f. A flask used to prepare solution with very accurate known concentration ()
g. A digital apparatus used to measure PH value.






(.		• • • • • • • • • • • • • • • • • • • •		••••••)
\&	Cho	ose the c	orrect answer:		
1.	The P	H value of a bas	ic solution is	•••	
		a) > 7	b) < 7	c)=7	d)=14
2.	Most	of tools in the	chemistry laboratory are gra	duated from	the
	lower	to the upper exce	ept		
		a)flasks		b)_graduate	ed cylinders
		c)burette		d) graduate	ed beakers
3.	Physic	cal chemistry is t	the science that specialized in	studying	
		a)structure and]	properties of matter	b)the nature	e of hormone
		c)ratios of the so	oil components	d)all th	ne
		previous			
⇔	Giv	e reason:			
	1-PI	H meter is more	accurate than PH test paper ta	pe.	
			2029 1 1		
	2-Tł	ne presence of a	pipette supported with a sucki	ing tool in the	
	chemistry lab. GPS-APP				
		علا	التعلم التفاعلي عن بـ	تطبيق	
*	Cor	rect the u	inderlined word		
✓	Conica	al flask is used to	o prepare solution of accuratel	y known cond	centration.





* Mention one use of:








Unit One

Chapter 2



Nanotechnology and chemistry



Nanotechnology:

Nano ----- derives from Greek word Nanos and means dwarf or very small Technology ----- applied application of knowledge in certain field.

Nanotechnology

It is the technology of very small substances and it specialized in treating the substance on Nano measure to produce new, useful, and unique properties.

The Nano is a unique measuring unit:

 $1 \text{ milli} = 1 \times 10 - 3 \text{ m}$

 $1 \text{ micro} = 1 \times 10 - 6 \text{ m}$

1Nano = 1x10-9m (1 Nano = one part of a billion part of meter)

GPS-APP

* Why the Nano scale is unique in measurement?

- ✓ The properties of substance as (color, transparency, ability to conduct heat and electricity
- ✓ Speed of chemical reaction, toughness, <u>elasticity,....</u>) change completely in Nano scale.
- ✓ The substance gain new and unique properties.(prop. Change with changing Nano volume).



Youtube Channel:
Mr.Science





Facebook Page: Mr Science

✓ Nano substances can be used in new and uncommon applications.

Critical Nano volume

The volume in which the unique Nano properties of the substance appear and is located between (1-100 nm).

* So the properties of substances in Nano scale is volume dependent properties.


Examples on substances in Nano scale

Nano gold

2024

- The gold is *yellow* in color and bright in normal scale
- Nano gold takes different colors according to their Nano volume (It may be red, green, orange and blue).
 Because the reaction of Nano gold with light is different from reaction of gold in macro volume.

تطبيق التعلم التفاعلي عن بعد







Nano gold

 The *hardness* of nano copper is more than its hardness in macro measurement

The speed of reaction in Nano scale:

➤ In the Nano volume of the substance, the ratio *increases* between the surface area to volume so the number of atoms exposed to reactions increases so the speed increase and the substances gain new

* When substance changes from macro measurement to nano measurement surface area increases while volume remains constant

Nanochemistry


It is the branch of Nano science, it deals with chemical applications Of Nano substances.







Nano substances can be classified according to the dimensions into:







Thin films

are used in

- * Painting surfaces to protect them from rust.
- * Packing food Products to protect them from getting spoiled or rotting.

Nano wires

are used in electrical circuits.

Nano fibers:

are used in production of water filters

Carbon Nano tubes

Are

- * Good conductors of electricity than copper.
- * Good conductors of heat than diamond
- * Stronger and lighter than steel due to powerful bond between its molecules.
 - Connected
 easily to
 protein so they
 can be used in
 making
 biological
 sensor devices
 which are
 sensitive to
 certain
 molecules.

Bucky ball C60

Used as

* Carrier for medicine in the body.

Due to its hollow

structure It

can match
with a
molecule of
medicine
But its outer
part resist the

reaction of the medicine with other molecules in the body.

PS-APF

تطبيق التعلم التفاعلي عن بعا



Applications on Nano technology

Medical field

- The early diagnosing of diseases and picturing organs and tissues.
- Deliver medicine to the infected tissues and cells which increases the chances of healing and reduce harmful effects.
- Producing very minute devices for dialysis that can implanted in the body.
- Producing Nano robots that sent into blood streams and remove blood clots from veins without surgical interferences.

2024

Energy field

تطبيق التعلم التفاعلي عن بعد

- Produce solar cells using Nano silicon that has high ability to transform energy without leakage of heat energy.
- Producing Hydrogen fuel cells that are low in cost and high on performance.





Agricultural field

- Identify bacteria in nutrients and preserving food.
- Improve nutrients, pesticides and medicines for plants and animals.

Industrial fields

- Producing invisible Nano molecules that acquire glass and ceramic property of self cleaning.
- Producing Nano substances to purify ultraviolet rays in order to improve sun block cosmetics and creams.
- Producing a Nano wrapping technology in the form of paints and sprays that work to form layers of coverings that protect the screens of electrical devices from scratching.
- Producing repellent tissues for stains and distinguished with selfcleaning.







Communications field

- Producing wireless Nano devices, mobiles, and satellites.
- Decreasing the size of the transistors.
- Producing electric chips that are distinguished with a high storage capability.

Environmental fields

Producing Nano filters that work on purifying the air, water, solving the problem of nuclear wastes and removing the dangerous elements from industrial wastes.

GPS-APP تطبيق التعلم التفاعلي عن بعد



Harmful effects of nanotechnology

Medical effects

 Very minute nano particles may enter the body of human or animal through cell membrane of skin or lungs causing diseases.

Environmental fields

 During production of Nano substances some wastes may be suspended in the air, water and soil causing pollution.

Social effects


 It may cause social inequality between rich countries and developed countries.







Chapter 2



* Write the scientific term:

2- All the following a excepta) Thin films	b) nano wires	c) nano fibers	d) nano shell
	ire one-amensional iva	no substances	
	ara ona dimancional Na	1	
a)surface area	b) density	,	d) lengui
very large ratio be	new unique properties of tween and volur	تطبيق التع	
& Choose the c	correct answer	PP	
(.)
c) The measuring unit the	at equals one part per b		
(2024)
b) Substances have two			`
			,
()
(
parts of the cell.			

	3- Nnaometer equals meter.
	a) 1×10^{9} b) 1×10 c) 1×10^{-3} d) 1×10^{-9}
	4is used as a carrier for medicine.
	a) Nano robots b) Nano silicon c) Bucky ball d) carbon nano tube
*	Give reason for:
>	The bucky ball is denoted by C60.
	()
>	Solar cells using Nano silicon is better than normal solar cells.
	()
>	The effectiveness of using bucky ball as carrier for medicine.
	()
⇔	Define:
*	Critical nano volume ()
⇔	تطبيق التعلم التفاعلي عن بعد Give one use:
	Nanotechnology in agriculture field.
	()
%	Compare:
	✓ One, two, three dimensional substances according to (definition, example, uses)





Unit Two

Chapter 1



GPS-APP

تطبيق التعلم التفاعلي عن بعد Quantitative Chemistry







Part (1): Ionic equations

The following table shows the valency of some metals:

Element Monovalent Valency (+1)

- Lithium (Li)
- Sodium (Na)
- Silver (Ag)
- Potassium (K)

Element Divalent Valency(+2)

- Mercury (Hg)
- Magnesium (Mg)
- Calcium (Ca) Lead (Pb)
- Iron (Fe) Copper (Cu)

Element Trivalent Valency (+3)

- Aluminum (AI)
- Iron (Fe)
- Gold (Au)

Table of atomic groups:

2024

Atomic group	Symb	Valency	Atomic group	Symbol	Valency
Hydroxide	OH.	فاعلـ 1 عن ي	Sulphate	SO_4^{-2}	-2
Nitrate	NO_3^-	-1	Carbonate	SO_4^{-2} CO_3^{-2}	-2
Nitrite	NO_2^-	-1			
Bicarbonate	HCO_3^-	-1	Phosphate	PO_4^{-3}	-3
Ammonium	<i>NH</i> ⁺ ₄	+1		- -	





Chemical equation:

A group of chemical symbols and formulas of the reactants and products. They

connected by an arrow between them that express the direction of this reaction and carry the reaction condition.

$$2Mg_{(s)} + O_{2(g)} \longrightarrow 2MgO_{(s)}$$

► The equation includes the physical states written at the bottom left of the chemical symbols.

Solid	• 5
Liquid	•1
Gas	• g
Aquenous Solution	·aCDC-ADD

The equation must be balanced. (G.R)

To achieve the law of mass conservation.



Example: Try to balance these reactions:

- 1) $H_2 + O_2 \longrightarrow H_2O$
- 2) $N_2 + H_2 \longrightarrow NH_3$

Answer:

- 1) $2H_2 + O_2 \longrightarrow 2H_2O$
- 2) $N_2 + 3 H_2 \longrightarrow 2NH_3$

Ionic equations:

It is the chemical equation in which reactants and products are written in the form of ions.

1) Dissolving equations:

As dissolving sodium chloride in water

$$NaCl_{(s)} \xrightarrow{water} Na^+ + Cl^-$$

2024

تطبيق التعلم التفاعلي عن بعد

2) Neutralization reaction:

It is the reaction between acid and base to produce salt and water.

Example:

Reaction between sulphuric acid and sodium hydroxide.

$$H_2SO_{4(aq)} \ + \ 2NaOH_{(aq)} \longrightarrow Na_2SO_{4(aq)} + \ 2H_2O_{(l)}$$

$$2H^{+}_{(aq)} + SO_{4}^{2-}_{(aq)} + 2Na^{+}_{(aq)} + 2OH^{-}_{(aq)} \longrightarrow 2Na^{+}_{(aq)} + SO_{4}^{-2}_{(aq)} + 2H_{2}O_{(1)}$$

$$2H^+_{(aq)} \ + 2OH^-_{(aq)} \qquad \longrightarrow \ 2H_2O_{(l)}$$

3) The ionic equation for precipitation reaction:

As precipitation of silver dichromate on adding potassium dichromate solution to silver nitrates solution.


Molecule:

It is the smallest part of the substance that can be found in a single form and carry the properties of matter.

Atom:

It is the smallest building unit of the substance that can participate in chemical reactions.

Hydrogen



Oxygen

Water Molecule (H2O)


Hydrogen





Chapter 1

Part 1



* Write the scientific term:

- 1) A group of chemical symbols and formula of the reactants and products (.....)
- 2) The chemical equation in which some or all reactants and products are written in the form of ions (...)
- 3) The reaction of an acid and base to form salt and water(...)
- 4) The smallest part of a substance that can be found in a single form and the properties of matter depends on it (...)

* Choose the correct answer:

- 1) The symbol (s) is written down the right of the chemical formula of which of the following:
- a)NaCl b)H2O c)CO2 d)H2SO4
- - 3) reaction can be represented by the following ionic equation $H^+ + OH^- \longrightarrow H_2O$
 - a)precipitation b)direct combination
 - c)neutralization d)dissolving



4) The chemical equation should be balanced to achieve the law ofa) Avogadro b)energy conservation c)mass conservation d)fixed ratios
Give reason for:1-The chemical equation should be balanced
*Express the following in the form of ionic equation:
1-Reaction between nitric acid and potassium hydroxide
2-Reaction between sodium chloride and silver nitrate
*Rewrite the following equations after
*Rewrite the following equations after balancing them: 1)H ₂ S + SO ₂

 $2)Mg_3N_2 + H_2O \longrightarrow Mg(OH)_2 + NH_3$

*Express the following in the form of equation:

1-Reaction between sulphuric acid and zinc.	
2-Magnesium and copper sulphate.	
3-Reaction between sodium hydroxide and nitric acid.	







Part (2): The mole and molar mass

The Mole:

It is the amount of substance that contains Avogadro number.

- If the substance is in the form of atoms, the mass of one atom is called atomic massIt is very small and measured by atomic mass unit (a.m.u.).
- (1) If the atomic mass of carbon atom (C) = 12 a.m.u., then one mole of carbon atom = 12 grams of carbon atoms.
- (1) If the substance is in the form of **molecules**, then the mass of one molecule is called molecular mass. It is equal the sum of atomic mass of atoms forming this molecule.

Molecular mass:

It is the sum of the atomic mass of the atoms forming the molecule.

GPS-APP

Example:

Calculate the molecular mass of carbon dioxide (CO2). If you know that the atomic mass of oxygen is 16 and carbon is 12.

Answer:

Molecular mass of CO2 = (atomic mass of carbon) + (2 x atomic mass of carbon)oxygen)

=
$$(12) + (2 \times 16)$$

= $(12) + (32) = 44$ a.m.u.
One mole of $CO2 = 44$ g



Youtube Channel: Mr.Science





Facebook Page: Mr Science

- If we use 44 g carbon dioxide, this means that you use one mole of it.
- If we use 22 g carbon dioxide, this means that you use half mole of it. And so on
- In ionic compounds the building units can expressed in formula unit not molecules. So ionic compounds have formula unit mass not molecular mass.

Example:


Calculate the formula unit mass for ionic calcium chloride (CaCl2). If you know that the atomic mass of calcium ion is 40 and chloride ion is 35.5.

Answer:

mass of CaCl2 = (mass of calcium ion) + (2 x mass of chloride ion)
=
$$(40) + (2 \times 35.5)$$

= $(40) + (71) = 111$ a.m.u.
One mole of CO2 = 111 g

Number of moles = ____mass of substance (gram)___ Mass of one mole of this substance (g/mol)







* The mass of a mole (molar mass) different from one matter to another.(G.R) Due to the difference in composition from one matter to another.

The mole of molecules of monatomic element is different from the mole of the same element if it is diatomic.

- *The molar mass of oxygen molecules = $16 \times 2 = 32$ g
- *The molar mass of oxygen atom $= 16 \times 1 = 16 \text{ g}$
 - → There are elements with different molecular composition due to difference in their physical state as
 - phosphorus in vapour state formed from four phosphorus atoms (P4), while in solid state it consists of one atom
 - -Sulphur in vapour state formed from eight sulphur atoms (S8), while in solid state it consists of one atom



2024

Calculation of the mass of reactants and products:

تطبيق التعلم التفاعلي عن بعد

Example:

Calculate the mass of magnesium needed to react with excess amount of oxygen to produce 160g of magnesium oxide. [Mg = 24, O=16]





Answer:

$$2Mg + O2 \longrightarrow 2MgO$$

$$2 moles$$

$$2x24=48g$$

$$???$$

$$160g$$

Mass of magnesium= $\frac{160 \times 48}{80}$ = 96 g



تطبيق التعلم التفاعلي عن بعد

Youtube Channel:

Mr.Science





Chapter 1

Part 2



	TAI		. 1		C	
* *	_\/\/	rite	the	SCIAN	titic	term:
	V V	1166				

the scien	illic term:	
masses of atoms	in one molecule of an e	element or a compound.
		()
e the corre	ect answer:	
nass of potassium	sulphate is	g [K=39, S=32, O=16]
b)13 <mark>5</mark>	c)130	d)150
nass of s <mark>ulphu</mark> r in	n its vapor state	
a.m.u	2024 [S=32]	
1-> 6.4	-)256	1)265
0)04	C)236	d)265
1	DC ADD	
0.1 mol of sodiu	ım hydroxide equals g	[Na = 23,O=16 , H=1]
b0405 c	ق التعلي التفاعا	₄₎₄₀ تطیر
0)0.40	Сут	u)+0
ems:		
e number of mole	es of calcium in 40 g of	f calcium [Ca=40]
• • • • • • • • • • • • • • • • • • • •		
	e the correspondence the correspondence of potassium b)135 mass of sulphur ina.m.u b)64 consideration of sodium b)0.4 ems:	hass of sulphur in its vapor statea.m.u b)64 c)256 c)1 mol of sodium hydroxide equalsg b)0.4 c)4





2-What is the mass of 0.2 mole of water $[H = 1, O = 16]$
3-find the mass of 5 mole of potassium carbonate.
[k=39,C=12,O=16,H=1]
4-Balance the following equation:
$Na + H_2O \longrightarrow NaOH + H_2 [Na = 23, O = 16, H=1]$
Then calculate the mass of sodium hydroxide which is produced from
the reaction between 1 mol sodium with water.
2024
5-Find the mass of calcium oxide produced from the thermal
ecomposition of 50 g of calcium carbonate [Ca = 40, C = 12, O = 16]
GPS-APP
تطبيق التعلم التفاعلي عن بعد
6-Find the number of moles of hydrogen gas needed to produce
0.18 g of water





Part (3): The mole and Avogadro's number and volume of gases


The mole and Avogadro's number:

Avogadro reached that the number of atoms, molecules or ions found in one mole is a constant number whatever the form of substance.

Avogadro number = 6.02×10^{23}

Avogadro number

It is the number of atoms, molecules or ions found in one mole of the substance and equals 6.02×1023 (atoms, molecules or ions).





Youtube Channel:
Mr.Science





Facebook Page:
Mr Science

Exercise 1:

Calculate the number of molecules of 2 mol of CO2 gas.

Answer:

Number of molecules = number of moles \times Avogadro number = $2 \times 6.02 \times 1023 = 12.04 \times 1023$ molecules

Exercise 2:

Calculate the number of carbon atoms found in 50 g of calcium carbonates [Ca = 40, C = 12, O = 16]

Answer:

1 mole of calcium carbonate CaCO3 = $40 + 12 + (16 \times 3) = 100$ g

100 g CaCO3
$$\stackrel{\text{contains}}{\longrightarrow}$$
 (6.02 × 1023) atoms



$$x = (6.02 \times 10^{\circ}23 \times 50)$$
 = 3.01 × 1023 atom

Exercise 3:

Calculate the number of magnesium oxide molecules produced from reaction of 24 grams of magnesium with excess amount of oxygen.

$$[Mg = 24]$$

Answer:





Youtube Channel:
Mr.Science





Facebook Page:
Mr Science

24 g → ??

Number of magnesium oxide molecules= $24 \times 2 \times 6.02 \times 10^2 = 6.02 \times 1023$


molecules.

The mole and the volume of gas:

- > Solid or liquid matter has a definite volume.
- > The volume of gas equal the volume of the container it occupies
- > The mole of any gas in standard temperature and pressure (STP) occupies a certain volume =22.4 liters.

(STP) means

- ✓ Temperature equals 273 k or 0o c
- ✓ pressure = 760 mmHg (normal atmospheric pressure = 1 atm.p)
- ✓ Concentration = 1 molar









Example 1:

Calculate the volume of 3 moles of oxygen gas

Answer:

Volume = number of moles \times 22.4 = 3 \times 22.4 = 67.2 L

Example 2:

Calculate the volume of oxygen needed to produce 90 g of water by reacting with an excess amount of hydrogen at the standard temperature and pressure (STP) [H = 1, O = 16]

Answer:

$$2H_{2(g)} + O_{2(g)} \longrightarrow 2H_2O(1)$$

$$1 \text{ mol} \longrightarrow 2 \text{ mol}$$

$$22.4L \longrightarrow 2[(2 \times 1) + 16] = 36 \text{ g}$$

$$?? \longrightarrow 90 \text{ g}$$

$$Volume of oxygen = \frac{22.4 \times 90}{36} = 56 \text{ L}$$

GPS-APP

Avogadro Hypothesis: تطبيق التعلم التفاعلي

Equal volume of different gases contain the same number of molecules under the same standard temperature and pressure (STP).





	Ne	\mathbf{O}_2	Co ₂
Volume	22.4L	22.4L	22.4L
Pressure	1 atm	1 atm	1 atm
Temperature	273 k	273 k	273 k
Quality	1 mole	1 mole	1 mole
Mass	40.0 g	32.0 g	28.0 g

Avogadro Law:

At constant temperature and pressure the volume of gas is directly proportional to its number of moles

2024 Limiting reactant

It is the reactant which is completely consumed during chemical reaction

Example:

When magnesium reacts with oxygen according to the equation

$$2Mg + O2 \longrightarrow 2MgO$$

What is limiting reactant when 32 g of oxygen reacts with 12 g of magnesium?

$$[Mg = 24, O=16]$$





 $2Mg \longrightarrow 2MgO$ $2moles \qquad 2moles$ $2\times 24=48g \qquad 2(24+16)=80g$ $12g \qquad ??$

Mass of magnesium oxide=20 g

 O_2 \longrightarrow 2MgO 1 moles 2 moles 32 g 80 g 32 g ??

mass of magnesium oxide = 80 g

Limiting reactant is magnesium.







Chapter 1 Part3



Write the scientific term:

1- The number of atoms, molecules or ions which are found in one mole of substance.	f the
()	
2- Equal volume of different gases at constant temperature and pressure corequal number of molecules.	ıtain
()	
3- The reactant which is completely consumed in the reaction.	
()	
4-The quantity of substance that contain Avogadro number of particles.	
()	
GPS-APP	
* Choose the correct answers	
1- The mole of ammonia gas NH3 contains	
a)3 mol of hydrogen molecules b)3 mol of hydrogen atoms	
c)3 mol of hydrogen ions d)1 mol of nitrogen molecu	les
2-The mass of 3.0×1023 atoms of sodium isg [Na = 23]	
a)0.5 b)11.5 c)23 d)45	
3- When 1 mol of sodium chloride is dissolved in water, the total number of	of ions





	•	gadro's number gadro's number	•	× Avogadro's number × Avogadro's number	
	4-The mass of a)2	f 44.8 L of ammonia g b)17	gas at STP is c)0.5	g [N = 14, H=1] d)34	
*	1-The equal m	eason for: asses of different eler		in the same number of	atoms
	2-One liter of	any gas contains the	same number of		•••••
•	Proble				••••••
	1-Calculate the	e numbe <mark>r of at</mark> oms in	0.5 mole of sodiu	1m. [Na = 23]	
	2-In the follow	ving equation	2024		
	$4A1 + 3 O_2 -$	2Al ₂ O ₃	3		
	a) Find the nur	nber of Oxygen atom	s needed to react	with 5.4 g of aluminum	m
		GPS	S-APP		
			Salles teather	la:::	
	b) Mass of oxy	gen needed to react v	vith 0.6 mol of al	uminum.	





Q.	Youtube Channel:	Contact:		Facebook Page:
			• • • • • • • • • • • • • • • • • • • •	
	••••••			
carb	onate. $[Ca=40, C=1]$	12, O=16]		
,	7-Calculate the numbe	er of carbon atoms fo	und in 50 g of ca	alcium
		ر لتفاعلی عن بع	بق التعلم ا	تظير
	c)0.9 mol of NO		Λ \cup \cup	f CO [O = 16, N=14, C=12]
O I F	a)22.4 L of N ₂	b)3.2 g of	O_2	
STP		ing values ascending	, according to the	c volumo at
	6-Arrange the follow	ing values ascending		e volume at
	••••••••••			
	CaCO3 —	CaO + CO		
	_	e following equation		12, O=16]
	-	oosition of CaCO3 sa		•
	5-Calculate the vo	olume of CO2 gas wh	ich is produced	from the
				1 U
	,			, (7) Z
	water, when it r STP $[H=1,$	eacts with an excess	amount of nyard	ogen gas at
		quired volume of oxy		•
	•••••••			
	[C=12, O=16]			
	3-Find the volume	$e ext{ of } 3.01 imes 1023 ext{ mole}$	ecules of CO2 g	as at SIP.





8-Calculate the mass of calcium carbonate needed to produce 11.2 liter of carbon dioxide according to the following equation

$CaCO_3 + 2HC1$	\longrightarrow CaCl ₂ + CO ₂ + H ₂ O	



Unit Two Chapter 2 2024 تطبيق التعلم التفاعلي عن

Calculation of Chemical Formula







Part (1): Calculation of Chemical Formula

Weight percentage:

It used to calculate the ratio of each component from the component of certain sample.

$$\begin{tabular}{ll} \it mass in the sample \\ \it mass in the sample \\ \it total mass of the sample \\ \it tota$$

Example:

Calculate the weight percentage of nitrogen in one mole of ammonium nitrates fertilizers [N = 14 , H=1 , O=16]

Answer:

2024

Molar mass of ammonium nitrate NH₄NO₃ = $(14 + (1 \times 4) + 14 + (3 \times 16)) = 80$ g Each one mole of ammonium nitrate contains 2 mol nitrogen = $(2 \times 14) = 28$ g weight percentage of nitrogen = $28 \times 100 = 35\%$

By calculating the weight percentage of oxygen and hydrogen. Weight percentage of oxygen = 60% Weight percentage of hydrogen = 5%

o The sum of the weight percentage of a compound must be equal 100



Youtube Channel:
Mr.Science





Facebook Page:
Mr Science

Example:

Calculate the mass of iron found in one ton (1000 kg) of hematite ore Fe2O3, if you know that the weight percentage of iron is 58%

Answer:

58% means that each

$$\begin{array}{c}
 \underline{100 \text{ ton}} \text{ ore} \xrightarrow{\text{contains}} & 58 \text{ ton iron} \\
 1 \text{ ton} & \xrightarrow{\text{contains}} & ??? \text{ ton}
 \end{array}$$

$$x = \frac{1 \times 58}{100} = 0.58 \text{ ton} = 580 \text{ kg}$$

Example:

Calculate the number of moles of carbon in an organic compound containing only carbon and hydrogen. If you knew that the weight percentage of carbon in this compound is 85.71% and the molar mass of this compound is 28 g (C=12 , H= 1).

Answer:

There is 85.71 g carbon----- in 100 g of the sample

So there is \times g carbon----- in 28g

$$X = (28 \times 85.71) / 100 = 24 g$$

Number of carbon moles = 24/12 = 2 mol

Another answer:

100

$$=\frac{85.71 \times 28}{100}$$
 = 24 g = 2 mol

Empirical formula:

A formula expressing the simplest ratio of true numbers between the atoms of elements which formed the compound.

Example:

The molecular formula of propylene is C_3H_6 ------ That means that the molecule of propylene is formed of 6 atoms of hydrogen and 3 atoms of carbon with ratio of 6(H): 3(C). By simplifying this ratio to its true value the ratio becomes 2(H): 1(C) so the empirical formula is CH_2

- Sometimes the empirical formula is similar to chemical formula like (carbon dioxide CO2) (Nitric oxide NO)
- The empirical formula of two different compounds may be the same like acetylene C2H2 and benzene C6H6. Both of them has empirical formula (CH)
- The empirical formula of the compound can be calculated in terms of weight percentage of elements that represent that mass of elements found in 100 g

Example:

Calculate the empirical formula of a compound containing nitrogen with a weight percentage of 25.9 % and oxygen with a weight percentage of 74.1 % knowing that (N = 14, O = 16)

Answer:

Number of moles

$$\begin{array}{ccccc}
N & : & O \\
\frac{25.9}{14} & : & \frac{74.1}{16} \\
\frac{1.85}{1.85} & : & \frac{4.63}{1.85} \\
1 & : & 2.5
\end{array}$$

(x 2)

The empirical formula is N₂O₅

Molecular formula:

Is a symbolic formula of the molecule of the element, or molecule or formula unit. It express the actual type and number of atoms or ions that form this molecule or unit.

Number of units of the emperical formula = <u>molar mass of the compound</u> molar mass of the emperical formula

Example:

Chemical analysis of acetic acid prove that it is formed from 40% carbon, 6.67% hydrogen , and 53.33% oxygen. If the molecular molar mass of it is 60 g find the molecular formula of the acid knowing that (C= 12, H=1, O=16)

Answer:

	C	H	O
Number of moles	40	6.67	53.33
	12	1	16
	3.33	6.67	3.33

Molecular mass of empirical formula=
$$16 + (1 \text{ x2}) + 12 = 30 \text{ g}$$

Number of units of empirical formula =
$$\frac{60}{20}$$
 = 2

Molecular formula is $CH_2O \times 2 = C_2H_4O_2$



GPS-APP

تطبيق التعلم التفاعلي عن بعد

Chapter 2

Part 1



1-A symbolic chemical formula that represent the simplest whole number ration of atoms in an element. (\dots)

Choose the correct answer

1. The percentage of aluminum in aluminum sulphate. [Al = 27, S = 32, O = 16]

- a) 36%
- b) 20.8% c) 15.78%
- d) 7.89%
- 2. CH3 is the empirical formula of.....
 - a) C3H6 b) C3H8
- c) C3H7 d) C2H6
- 3. The molecular formula of a hydrocarbon compound which has an empirical formula C2H3 and its molecular mass is 81, is..... b) C5H10 c) C6H9 d) C2H8 a)C4H6
- 4. The number of empirical formula units of the compound C2H2O4 is تطبيق التـ4(في التف3(عي عن²(ط. a)1
- 5. If the molecular formula of vitamin C is C6H8O6 then its empirical formula is.....
 - a)C3H4O6
- b)C3H4O3
- c)C6H4O3 d)C3H8O3





Give reason	n for:	
1-The empirical formula does	not represent the actual of	composition of a compound
2-Acetylene (C ₂ H ₂) and aroma	atic benzene (C ₆ H ₆) have	the same empirical
formula.		
Problems:		
	f malas of author and hy	dragan atoms which are
1. Calculate the number of		
	ompound contains only ca	
percentage of carbon is	molar mass is 28 g/mol 85.7%	and the mass
	2024	[C=12, H =1]
		[C-12, 11-1]
	GPS-AP	
2. Calculate the molecular	علم التفاعلي عن	
	-	its molecular mass is 50
g and its empirical form	iuia is Ch ₂	
[C=12, H=1]		
Youtube Channel: Mr.Science	Contact: 01001852981	Facebook Page: Mr Science


3. The chemical analysis of butadiene compound has proved that it contains 55.8% carbon, 7.03% hydrogen, and 37.17% oxygen. Find its molecular formula, knowing that its molecular formula contains 2 units of its empirical formula.



Part (2): Practical and theoretical yield

Practical product and theoretical product:

When we make a chemical reaction to obtain a certain substance the theoretical results that expected to get from the reaction is different from the produced substance practically (practically yield).




• The practically yield usually less than the calculated amount theoretically.

Due to

The product substances may evaporates.

Some of the product may clink on to the walls of of the reaction cylinder.

There are some side reactions (competitive reactions) that consume the product 4-The used substance may be not pure enough.







Example:

Methyl alcohol is produced under high pressure through the following reaction

$$CO(g) + 2H2(g) \xrightarrow{\triangle} CH3OH(l)$$

If 6.1 g of methyl alcohol is produced from a reaction of 1.2 g of hydrogen with abundance of carbon oxide, calculate the percentage of the actual yield (C=12, O=16, H=1)

Answer:

Molecular mass of CH3OH = $1\times4 + 16 + 12 = 32$ g 2mol of H2 produce 1 mol of CH3OH

$$4g \longrightarrow 32 g$$

$$1.2 \xrightarrow{32 \times 1.2} 9.6 g$$

$$X = \frac{32 \times 1.2}{4} = 9.6 g$$

Percentage of yield = $\frac{6.1}{9.6} \times 100 = 63.54 \%$

تطبيق التعلم التفاعلي عن بعد

Chapter 2

Part 2




Write the scientific term:
1-The calculated quantity of products expected from given quantities of
reactants.
()
★ Choose the correct answer:
1. The amount of the practical yield in the chemical reaction is
alwaysthe theoretical yield
a)less than b)equal c)more than d)non of the previous
2- The compound which its molecule consists of 3 atoms of carbon, 6 atoms
of hydrogen and 1 atom of oxygen its molecular formula is
a)(CH)3OH b)C6H3O c)(CH3)2CO d)(CH3)2O
❖ Problems:
1-Calculate the percentage of yield when 20 g of sodium chloride solution
reacts with an excess amount of silver nitrate solution knowing that 45 g of
silver chloride precipitated





Unit Three

Chapter 1



GPS-APP

تطبيق التعلم التفاعلي عن بعد Solutions and colloids

Part (1): Solutions

Type of mixtures

Colloids

Heterogeneous mixture

Suspension

Homogenous solutions

2024

Solutions

They are homogenous mixtures in which you cannot distinguished its components by naked eye or by electronic microscope

Examples:

✓ Table salt solution in water



- ✓ Sugar in water
- ✓ cobalt (II)chloride in water

Colloids

They are heterogeneous mixtures that carry the properties of solution and suspension

Components can be distinguished by microscope.

Examples:

Milk -blood - aerosols -hair gel mayonnaise emulsion





Youtube Channel:
Mr.Science





Facebook Page:
Mr Science

Colloids

They are heterogeneous solutions in which you can distinguish its components by your eye.

Examples:

- ✓ Table salt in kerosene
- ✓ sugar in kerosene
- ✓ cobalt (II)chloride in kerosene









Classification of solutions

According to

1) The physical state of solvent

Some times the word solutions is connected with a liquid state of the substance. But solutions may be in gas or liquid or solid state

Type of solution	Solute state	Solvent state	Examples
Gas	Gas	Gas	Air – natural gas
	Gas	146	Soft drinks – oxygen dissolved in water
Liquids	Liquid	Liquid	Alcohol in water Ethylene glycol(anti-freeze)in water
	Solid	202	Sugar or salt in water
	Gas		Hydrogen in platinum or palladium
Solid	Liquid		Silver amalgam $Ag_{(s)} / Hg_{(l)}$
Solid	Solid	Solid	Alloy of nickel – chrome alloy

Water is a polar solvent: تطبيق التعلم التفاعلة

Water is a polar solvent because the electro negativity of oxygen is higher than hydrogen. So oxygen carries a partial negative charge while hydrogen carries a partial positive charge

With angle 104.50 between them










2) Ability to conduct electricity

Solutions are classified according to conduction of electricity into







Electrolytes are classified into

Strong electrolytes

They have the ability to conduct electricity to large extent as it is completely ionized (all its molecules are dissociated into ions)

Examples:

Ionic compounds: as

- > sodium chloride NaCl
- > sodium hydroxide NaOH

Polar covalent compounds: as

Hydrogen chloride solution but hydrogen chloride in gas state doesn't conduct electricity.



$$HCl+H_2O \longrightarrow H_3O^+ + Cl^-$$

Weak electrolyte

Conduct the electricity to weak extent as it is partially ionized (Small parts of its molecules are dissociated into ions)

Examples:

Ionic compounds: as

Ammonium hydroxide NH4OH

Polar covalent compounds: as

➤ Acetic acid CH3COOH



$$CH_3COOH + H_2O$$
 $CH_3COO^- + H_3O^+$



202



3) Degree of saturation:

Classification of solutions according to

Unsaturated solutions

 It is the solution at which the solvent accepts more solute at a certain temperature.

Saturated solutions

 It is the solution at which the solvent accepts more solute at a certain temperature.

Super saturated solutions

 It is the solution that accepts more of the solute after reaching saturation by heating

2024





How can you prepare a saturated solution from a supersaturated solution?

1. Cooling

Cool the saturated solution and leave it for a short time, the excess solute will be precipitated.

2. Crystallization

Put small crystals from the solute in the supersaturated solution and leave it for a short time, the solute molecules will precipitates as crystals on the surface of seeding crystals.

Dissolving process:

It is the process occurs when the solute decomposes or dissociate into negative and positive ions or into separated polar molecules. Each of them binds to the molecules of the solvent.

The mechanism of dissolving process

It's easy to dissolve:

➤ Ionic compounds (as sodium chloride)

- in polar solvent
- > Polar covalent compound (as hydrogen chloride gas) (as water)

The speed of the dissolving process depends on:

- ✓ Surface area of the solute
- ✓ Stirring
- ✓ Temperature







Solubility

Solubility:

It is the ability of solute to dissolve in a certain amount of solvent. Or it is the ability of solvent to dissolve certain amount of solute.

Degree of solubility:

It is the mass of solute by grams which dissolve in 100 grams of the solvent to form a saturated solution at standard conditions.

2024

Factors affecting the solubility

1) The nature of solute and solvent:






Youtube Channel: Mr.Science





Facebook Page:

<u>Mr Science</u>



Substances that easily dissolve in water are ionic or polar covalent compounds.

Give reason

Oil is insoluble in water.

Because oil is non polar while water is polar compound.

Oil is soluble in benzene.

Because both of them is non polar.

Sugar is soluble in water although sugar is non polar.

Because sugar molecules make hydrogen bond with water

2) Temperature:

The solubility of most ionic substance increases with increasing the temperature.

Some properties of solution

- Particles cannot be distinguished by naked eye or by the electron microscope.
- o Diameter of the particles is less than 1 nm
- o Particles of solution are regularly distributed
- o Particles don't scatter a beam of light passing through it.







Chapter 1

Part 1



***** Write the scientific term:

1-Homogenous mixtures can't be distinguished neither by eye nor microscope.			
()			
2-The substance that exist in the largest amount within the solution.			
()			
3-The substance that exist in the smallest amount within the solution.			
()			
4-The ability of an atom to attract the electrons of the chemical bond			
toward itself.			
toward itself. ()			
5-Substances are completely ionized in their solution.			
()			
6-Substances that conduct electricity to less extent.			
()			
7-The solution in which the solvent dissolves less amount of the			
solute at acertain temperature.			
()			
8-The solution which can be obtained from the saturated solution by heating.			
()			





* (Choose the correct answer	er:						
	1-Blood and milk are examples of							
	a)Liquid solutions b) solid solutions c) colloids d) su							
	b) 2-All the following substances are incompletely ionized							
	except							
	a) CH ₃ COOH	b) NH ₄ OH	c) NaOH	d) H ₂ O				
	3is a s	solid solution of so	lid in solid					
	a)Naphthalene in air c)Nickel chrome alloy) sugar in water Blood					
*	Give reasons for: 1-Oil does not dissolve i	n water but dissolv	ves in benzene					
	2-Hydrochloric acid is a							
	2024							
	GPS-APP							
تطبيق التعلم التفاعلي عن بعد								





Part (2): Concentration of solutions

- ➤ You can change the concentration of solution by changing the amount of solute in a solvent.
- ➤ The solution will be concentrated if the amount of solute is large (but not larger than solvent).
- ➤ The solution is said to be diluted when the amount of solute is small
- > We express the concentration of solutions by

(Percentage – molarity – molality)

Percentage

Solution mass = (solute mass + solvent mass)

Molarity

تطبيق التعلم التفاعلي عن بعد

2024

It is the number of solute moles that dissolved in one liter of solution

Unit: (Mol / L) or molar (M)

$$Molarity = \frac{Number\ of\ solute\ moles\ (mol)}{solution\ volume\ (L)}$$







Example:

Calculate the molarity of sugar cane solution C12H22O12 in water, if you knew that the mass of the dissolved sugar is 85.5 g in a solution volume of 0.5 L (C = 12, H = 1, O = 16).

Answer:

Molar mass of sugarcane =
$$(12 \times 12) + (1 \times 22) + (12 \times 16) = 358$$
 g/mol Number of moles = mass / molar mass = (85.5) / (358) = 0.24 mol

Molarity =
$$\frac{Number\ of\ moles\ (mol)}{solution\ volume\ (L)}$$
 = $\frac{0.25}{0.5}$ = 0.47 mol/liter

Molarity

It is the number of solute moles in one kilogram of solvent

$$Molality = \frac{Number\ of\ solute\ moles\ (mol)}{solvent\ mass\ (kg)}$$

Example:

2024

Calculate the molality of a prepared solution by dissolving 20 g of sodium hydroxide in 800 g of water, knowing that (Na = 23, H = 1, O= 16)

Answer:

GPS-APP

Molar mass of sodium hydroxide (NaOH) = (23 + 16 + 1) = 40 g/mol

Number of moles = mass / molar mass = 20/40 = 0.5 mol.

Mass of solvent by kilogram = 800/1000 = 0.8 kg

Molality =
$$\frac{Number\ f\ moles\ (mol)}{solvent\ mass\ (kg)} = \frac{0.5}{0.8} = 0.625\ mol\ /\ kg$$

Chapter 1

Part 2



1-The number of gram	s of solute dissolves in	100 g of the solvent to				
form a saturated solu	ution at STP.	()			
2-The number of moles of a solute dissolved in one liter of solution.						
		()			
3-The number of mole	s of solute dissolved in	one kilogram of solver	ıt.			
		(
Choose the correct answer	wer:					
1- The molality of a so	lution expressed by					
a) mol/L	b) g/L	c) mol/kg	d) Kg/L			
2-The molality of soluti	on formed by dissolving	ng 5 mol of sodium chlo	oride in 10L			
of solution is	M					
a) 0.5	b) 0.05	c) 50	d) 5			
3-When 20 g of sodium	n hydroxide are dissol	ved in an amount of wat	ter			
to get 0.25L of a solution the concentration will be						
a) 0.08 mol/L	b) 0.08kg/L	c) 2m	d) 2M			
4-If 18 g of glucose C	₆ H ₁₂ O ₆ is dissolved in	100 g of water. The cond	centration of			

^	Youtube Channel:
S.	Mr.Science

a)1m

a) 4 mol

Write the scientific term:



the resulting solution is [C=12, H=1, O=16]

b)0.01 M

b) 0.25 mol

5-One liter of a solution of 0.25 M sodium hydroxide contains......of NaOH



c)15.25%

[Na = 23, O=16, H=1]

c)10 g

d) a and c

d) b and c

×	Pı	roblems:
	1-	Calculate the (volume-volume) percentage of a solution which formed by dissolving 15 ml of oil in 50 ml of benzene.
	2-	Calculate the (mass-mass) percentage of a solution formed by dissolving 0.5mol of NaOH to 80g of water. [Na=23, O=16, H=1]
	3-	Calculate the molarity of a solution whose volume is 3 L and contains
		0.5 mol of silver nitrate.
		2029
		2027
	4-	Calculate the concentration of a solution formed by dissolving 5.6 g of potassium
	hy	droxide in an amount of water to form 500 ml of a solution [K=39, O=16, H=1]
		GP3-APP
		تطبيق التعلم التفاعلي عن بعد
	5-	Calculate the molality of a solution prepared by dissolving 1 mol of calcium chloride in 271 g of water
γ	out	tube Channel: Contact: Facebook Page:






6- 53 g of sodium carbonate are dissolved in 400 g of water. What is the molality of this solution ? $[Ca = 23, C = 12, O = 16]$	
	•••
7-What is the mass of glucose ($C_6H_{12}O_6$) required to dissolve in 563 g of ethanol prepare 2.4 x 10^{-2} m of solution? [C = 12, O = 16, H = 1]	to
2024	
GPS-APP تطبيق التعلم التفاعلي عن بعد	





Part (3): Collegative properties of solutions

The properties of a pure solvent differ from its properties by dissolving a solid non volatile substance in it. These properties as (vapor pressure, boiling point, freezing point)



Vapor pressure:

It is the pressure that exerted by a vapor in dynamic equilibrium with its liquid inside a closed container at a constant temperature and pressure

Difference in vapor pressure of pure

Pure solvent

- The surface molecules which exposed to vaporization process are the solvent molecules only.
 - The force that has to be overcome is the attraction force between the solvent molecules with each other.

Solution

- The surface molecules are the solvent molecules and solute molecules so the number of solvent molecules which exposed to vaporization process decrease
 - The force that has to be overcome is the attraction force between solvent and solute molecule that is larger than the attraction between solvent molecules



Youtube Channel:
Mr.Science





Facebook Page:
Mr Science

Boiling point:

It is the temperature in which the vapor pressure of the liquid equals the atmospheric pressure.

Measured boiling point:

The temperature at which the vapor pressure of the liquid equals the pressure exerted or acted on it.

o It can be used as indicator for purity of solvent.

Pure water boils at 1000c while salty water causes increasing in the boiling point.(G.R)

Because by adding salt to water the vapor pressure of the solution decrease so the solution needs more energy until its vapor pressure equals to atmospheric pressure to boil.

Boiling point increases by increasing the number of moles of ions in the solution.

Boiling point of 0.2M sodium chloride solution is equal to boiling point of 0.2M potassium nitrate solution.(G.R)

Because both of them produce the same number of moles of ions in the solution.

Boiling point of sodium carbonate is higher than boiling point of sodium chloride with same concentration.(G.R)

Because the number of moles of ions in Na2CO3 is higher than that of NaCl.







Freezing point:

- Freezing point is opposite to boiling point.
- ✓ Freezing point of solution is less than freezing point of pure solvent.(G.R)
- ✓ Decreasing in Freezing point is inversely proportional to the number of
- ✓ dissolved solute in the solutions.
- ✓ Freezing point of sugary solution (not ionized into ions) is -1.86 0C.
- ✓ Freezing point of sodium chloride (produce two ions) is (2 x 1.86) = -3.720C.
- ✓ Salt is added to snow covered roads in cold places.(G.R)

Freezing point of solution is less than freezing point of pure solvent.(G.R)

Because the attraction force between solvent and solute increase so number of solvent molecules that will change into solid state on freezing decrease.



Salt is added to snow - covered roads in cold places.(G.R)

Because the Because salt decrease the freezing point of water so water will not easily change to snow and this prevent cars from skidding and decrease the number of accidents.







Suspension:

They are heterogeneous solutions in which you can distinguish its components by your eye.

- The suspended particles precipitate if it lift for a short time without shaking.
- o The diameter of its particles is larger than 1000 nm.
- o The suspended particles can be seen by eye.
- The suspended particles can be separated by filtration as filter paper hold the suspended particles while water pass through paper.
- o Examples (Sand in water Chalk powder in water).

Colloids:

They are heterogeneous mixtures that carry the properties of solution and suspension.

- ➤ The dispersed particles don't precipitate if they are left for a short time without shaking.
- ➤ The dispersed particles diameter is from 1- 1000 nm
- ➤ The dispersed particles can be seen by electronic microscope only
- > The dispersed particles cannot be separated by filtration.
- > The shape depends on its concentration
- Concentrated colloids appears as milk
- Diluted colloids appears clear









Dispersed phase	Dispersed medium	Examples
Gas	Liquid	Some types of creams – whipped egg
	Solid	Sweat made of sugar and egg white
	Gas	Aerosols
Liquid	Liquid	Milk – mayonnaise
Ziquiu	Solid	Hair gel
	Gas	Dust in air particles
Solid	Liquid	Pigment – blood – starch in hot water

There is no gas-gas colloidal system.(G.R)

Because mixed gases are homogenous mixture

Preparation methods for colloids

Dispersion method:



- The substance is crushed into small particles until its size reaches the size of colloid particles.
- Then added to the dispersed medium with stirring As (Starch in hot water)

Condensation method:

تطبيق التعلم

o The small particles are collected together into larger particles have the volume of the colloid particles by chemical reactions as (oxidation – reduction –

hydrolysis) with each other.




Youtube Channel: Mr.Science





Facebook Page: Mr Science



Chapter 1

Part 3



Write the scientific term:

- 2-The temperature at which the vapor pressure of the liquid equals to the atmospheric pressure (.....)
- 3-The heterogeneous mixture in which the diameter of its particles is larger than 1000 nm (.....)

* Choose the correct answer: تطبيق التعلم التفاعلي

- 1- The attraction forces between the solvent molecules and solute molecules in the solution is...... the attraction force between solvent molecules and each other in the pure solvent.
 - a) stronger than b)weaker than c)equal d)none of the previous
- 2-The vapor pressure of the solution isthe vapor pressure of the pure solvent which forms it.

a)equal b)higher than c)lower than d)none of the previous



Youtube Channel:
Mr.Science





Facebook Page:
Mr Science


_	ofin 1 L compor pressure of water	of water has the	largest effect on
a) KBr	b) $C_6H_{12}O_6$	c)MgCl ₂	d)KOH
*	, , , , , , , , , , , , , , , , , , ,	. •	the freezing
	ous solution of table s		
concentrations ar	eequal		. 1
a)equal	b)half	c)double d)t	three times
Give reasons for:			
The vapor pres pressure of its	ssure of a solution is lopure solvent.	ower than the va	por
•••••		•••••	
••••••			
•••••			••••••
We can different	entia <mark>te bet</mark> ween the sol	lution a <mark>nd coll</mark> oi	ds by using a
beam of light.			
••••••		.,,	•••••
	2024		
	CDC	A D D	
	GPS-A	APP	
	التفاعلي عن بع	يية. التعلم	hï
	الساعتي عن بع	بيق التعتم	
C_{0}			





Unit Three

Chapter 2



تطبيق التعلم التفاعلي عن بعد

Acids and bases







Part (1): Properties of Acids and Bases

Industries including acids

- ✓ Fertilizers
- ✓ Medicines
- ✓ Plastic
- ✓ Car batteries

Industries including bases

- ✓ Soap
- ✓ Detergents
- ✓ Dyes
- ✓ 4-Medicines







Natural and artificial products including acids or bases in their composition:

Product	Acids entering in its composition
Acidic plants (lemon – oranges –	Citric acid – Ascorbic acid
tomatoes)	
Dairy products (Milk – yoghurt)	Lactic acid
Soft drinks	Carbonic acid – phosphoric acid







Product	Bases entering in its composition	
Soap	Sodium hydroxide	
Baking soda	Sodium bicarbonate	
Washing soda	Hydrated sodium carbonate	

Properties of acids and bases

p.o.c	Acids	Bases
Taste	Sour taste	Bitter taste
Effect on	Change the color of litmus	Change the color of litmus into
litmus paper	into red	blue
	With active metals to give	*With acids to produce salt and
	salt of acid and hydrogen gas	water.
	$Zn + 2HCl \longrightarrow ZnCl_2 + H_2$	NaOH + HNO ₃ → NaNO ₃ + H ₂ O
	*With carbonate and	
Reactions	bicarbonate to produce CO ₂	
Neactions	$Na_2CO_3 + H_2SO_4 \longrightarrow Na_2SO_4$	
	عن بعد +H₂O +CO₂تا	تطبیق ا
	*With bases to produce salt	
	and water.	





Theories that describe acid and base

- ✓ Arrhenius theory
- ✓ Bronsted lowery theory
- ✓ Lewis theory



Arrhenius theory

Definition of acid

It is the substance that ionize or dissociate in water to give one or more hydrogen ions H+

$$HCI_{(g)}$$
 Water $H^{+}_{aq)} + CI^{-}_{(aq)}$ $H2SO4 (aq)$ $Water_{H^{+}}_{aq)} + HSO4 (aq)$ $HCIO_{4(aq)}$

So acid is good conductor of electricity. And it increases the concentration of positive hydrogen ions in aquatic solutions.

Definition of base

It is the substance that ionize or dissociate into water to give one or more hydroxide ions OH-

NaOH_(s) water Na⁺ aq) + OH⁻(aq)

KOH_(aq) water
$$K^+$$
 aq) + OH⁻(aq)

Ba(OH)_{2 (aq)} water Ba^{+2} _(aq) + $2OH^-$ _(aq)

So base is good conductor of electricity. And it increases the concentration of negative hydroxide ions in solution.



2024



Reaction between acid an base

It produces salt and water.

$$HCl(aq) + NaOH(aq)$$

$$NaCl(aq) + H2O(1)$$

The neutralization reaction


$$H^+$$
 + $OH^ \longrightarrow$ HO $_2$ (I)



Observations on Arrhenius theory

2024

- Carbon dioxide doesn't contain a source of positive hydrogen ion but is considered as acid.
- He said that acid must contain hydrogen ion and base must contain hydroxide group and it is not completely correct.



Ammonia

 In water give hydroxide ion while it is not Arrhenius base.

$$NH_3 + H_2O \longrightarrow NH_3^+ + OH^-$$

It neutralizes with acid




Bronsted Lowry theory

Definition of acid

• It is the substance that give the proton H+ (proton donor).

Definition of base

• It is the substance that has the ability to accept the proton (proton acceptor).





Youtube Channel: Mr.Science





Facebook Page:
Mr Science

Examples

1) Hydrogen chloride and water

$$HCl + H_2O \longrightarrow Cl^- + H_3O^+$$
(acid) (base) conjugate base conjugate acid

2)Ammonia in water

$$NH_3 + H_2O \longrightarrow OH^- + NH_4^+$$
(base) (Acid) conjugate base conjugate acid

Definition of base

2024

Conjugate acid GPS-APP

The substance that produced when base accepts a proton.

Conjugate base

The substance that produced when acid loses a proton.

Arrhenius theory

Definition of acid


 Substance that accept an electron pair or more

Definition of base

 Substance that donates an electron pair or more

Examples

 Reaction of hydrogen ion with fluoride ion



Comparison of acid and base in the three theories

	Theory 191	لبیق المطالعة عن Acid definition	Base definition
A	rrhenius	H+ producer	OH- producer
Bı	ronsted – Lowry	H+ donor	H+ acceptor
Lo	ewis	Electron pair acceptor	Electron pair donor





Chapter 2

Part 1



 WW7		4.10		4 0 600	4
W	rife	the	scien	fific	term:

1-A substance that dis	solves in water to	give positive h	ydrogen ions.
()
2-A substance that dis	solves in water to	give negative l	nydroxide ion
()
3-The substance that is	s produced when	a base acc <mark>epts a</mark>	proton.
()
4-The substance that of	lonates an electro	n pair or more.	
()
5-The substance that			,
(

* Choose the correct answer:GPS-APP

1acid is	found in acidic pla	تطبيق التعلم ints	
a) phosphoric	b) lactic	c) citric	d) carbonio
2-From the properties	of acids		
a) Have a sour taste b) Slippery feel			ppery feel
c) Change the red li	tmus to blue	d) all	the previous







	3gas is evolved when the acids react with active metals				
	a) Oxygen	b) Hydrogen	c) Chlorine	d) Carbon dioxide	
	4-According	to Arrhenius theory the	e base is dissolved in	water to formions	
	a) CO_3^{-2}	b)OH ⁻	c)NH ₄ ⁺	d)H ⁺	
	5-The Bronsted	Lowery acid is similar	r to Arrhenius acid be	ecause both of them	
	contain				
	a)Lone pair of	f electrons	b)hydrogen bon	d	
	c)Hydroxyl g	-	d) (a) & (b)		
	6the	eory depends on lone p	pair of electrons to de	fine acid and base	
		b) Bronsted Lowry	c) Arrhenius	d) All the previous	
* (Give reasons for:				
	1-The litmus dy	e is used to differentia	te between acids and	bases	
		<mark></mark>	<mark></mark>		
			<u>.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		
	2-The aqueous s	solution of acids and b	ases conduct the elec	tric current.	
				• • • • • • • • • • • • • • • • • • • •	
		CDS	Λ DD		
	3-According to	Bronsted lowry theory	water acts as an acid	when it	
	reacts with	تفاعلي عن بعد	طبيق التعلم الـ	Ï	
	ammonia gas	and as a base when it r	reacts with hydrogen	chloride.	
				••••	





4-Ammonia is considered a base although it doesn't contain	
hydroxide group OH ⁻	

Compare between:

Definition of acid and base according to Arrhenius theory, lewis theory







Part (2): Classification of acids and bases

1. According to its source into:

Organic acids

- Acids that have an organic origin (Plant or animal)
- All of them are weak acids

Examples

- ✓ Lactic acid
- ✓ Acetic acid
- ✓ Citric acid
- ✓ Oxalic acid
- ✓ Formic acid

Mineral acids

- Acids that have no organic origin
 - Or have non metallic element their structure.
- Some are weak and some are strong

Examples

in

- ✓ Carbonic acid
- ✓ Hydrochloric acid
- ✓ Phosphoric acid
- ✓ Sulphuric acid

202

GPS-APP تطبيق التعلم التفاعلي عن بعد



2. According to the number of hydrogen atoms that the acid react through it (basisty of acid)

Mono basic acids

When it dissolves in water each molecule gives one proton.

Examples

- ✓ Hydrochloric acid (HCl)
- ✓ Nitric acid (HNO3)
- ✓ Acetic acid (CH3COOH)
- ✓ Formic acid(HCOOH)

Dibasic acids

When it dissolves in water each molecule gives one or two protons.

Examples

- 1. Sulphuric aci(H₂SO₄)
- 2. Carbonic acid(H₂CO₃)
- 3. Oxalic acid COOH COOH

GPS-APP

تطبيق التعلم التفاعلي عن

Tribasic acids

They are acids that can give three protons through reactions

Examples

- 4. Phosphoricacid (H₃Po₄)
- 5. Citric acid





3. According to its strength into:

Strong acids

Acids which are completely ionized in water

Examples

- ✓ Hydrochloric acid (HCl)
- ✓ Nitric acid (HNO₃)
- ✓ Sulphuric acid (H₂SO₄)

Weak acids

Acids which are incompletely ionized in water

Examples

- ✓ Acetic acid (CH₃COOH)
- ✓ Formic acid(HCOOH)
- ✓ Oxalic acid COOH

COOH

Classification of bases

1. According to its molecular composition

Base	Examples	Application
1-Metal	Iron (II)oxide	FeO +2 HCl \longrightarrow FeCl ₂ + H ₂ O
oxides	FeO	
2-Metal	Calcium hydroxide	$Ca(OH)_2 + H_2SO_4$ $CaSO_4 + 2 H_2O$
hydroxide	Ca(OH) ₂	
3-Metal	Potassium	$K_2CO_3 + 2HCl \longrightarrow 2KCl + H_2O + CO_2$
carbonate	carbonate K ₂ CO ₃	





4-Metal bicarbonates	Potassium bicarbonate KHCO	KHCO ₃ +HCl→ KCl+ H ₂ O + CO ₂
	KHCO ₃	

2. According to its strength:

Strong bases

Bases which are completely ionized in water

Examples:

- ✓ Potassium hydroxide (KOH)
- ✓ -Sodium hydroxide (NaOH)

Weak bases

Bases which are incompletely ionized in water

Examples:

-Ammonium hydroxide(NH₄OH)

2024

Bases that dissolve in water are called alkalis.

So all alkalis are bases but not all bases are alkalis.

Detecting acids and bases

By PH meter or indicators







Indicators:

They are weak organic acids or bases their color changes with the change of the solution type.

Indicator	Colour in acidic	Colour in neutral	Colour in basic
	medium	medium	medium
Methyl orange	Red	Orange	Yellow
Bromothymol	Yellow	Green	Blue
blue			
Phenolphthalein	Colourless	Colourless	Pink
Litmus	Red	Violet	Blue

2024

By PH meter

- ✓ PH < 7 so the substance is acid PH = 7
- ✓ so the substance is neutral PH > 7
- ✓ so the substance is basic







Chapter 2

Part 2



***** Write the scientific term:

	1-Acids that are completely ionized in water and their solutions are				
	good conductor of	electricity.	()	
	2-Acids that have or	ganic origin.	()	
	3-Acids that usually have a non metal element in their composition.				
			(<u></u>)	
	4-The number of pro	ot <mark>ons pr</mark> oduced	from one mol <mark>ecule</mark> of t	he acid when	
	it dissolves in water.		()	
	5-The acid when it d	liss <mark>olves</mark> in wate	er each molecule gives		
			2024		
	6-Bases that their so	lutions are good	l conductor of electrici	ty.	
			(
	7-A weak acid or ba	se that changes	its color with the chan		
	solution.	y GP3)	
		u ta Iala	طبيق التعلم التذ	,	
		**	عبيق التعلم اللا	ш	
» (Choose the correct an	nswer:			
	1-Each molecule of	sulphuric acid io	onizes in water giving.		
	a) 1 proton	b)2 proton	c)3 proton	d)(a) & (b)	
	b) 2-Sodium hydroxide isbase				
	a) weak	b)strong	c)neutral	d)no correct answer	
	a, woun	5,500115	c)iicanai	a, no correct unswer	





3-The color of methyl orange in the acidic medium is					
a)yellow	b)green	c)orange	d)red		
4-All the follow	wing are monoba	asic acids except			
a)hydrochloric	b)nitric	c)acetic	d)oxalic		
5-The PH value	in which the col	or of phenolphthalein tu	irns into red is		
a) 2	b) 4	c) 6	d) 9		
Give reasons for: 1-Nitric acid is a	good conductor (of electricity			
2-Acetic acid is n	2-Acetic acid is monobasic while phosphoric acid is tribasic acid.				
		2024			
3-Phenolphetahie	n cannot be used	to differentiate between	n acidic and neutral		
medium.					
GPS-APP تطبيق التعلم التفاعلي عن بعد					






Part (3): Salts

Salt are found in earth crust, dissolved in sea water or precipitated in the seabed.

Salt formed from

- ✓ *Cation*: A positive ion of the base.
- ✓ *Anion*: A negative ion of the acid.



2024

Monobasic acids form only one type of salts

As (Nitric acid HNO3).....forms nitrates salts only

تطبيق التعلم Dibasic acids form two type of salts

As (Sulphuric acid H2SO4).....forms sulphate and bisulphate salts

Tribasic acids form three type of salts

As (Phosphoric acid H3PO4).....forms three types of salts







Formation of salts

Reaction of diluted acid with active metals

When metal is more active than hydrogen

$$Zn_{(s)} + H_2SO_{4(aq)}$$
 \xrightarrow{dil} $ZnSO_{4(aq)} + H_{2(g)}$

Reaction of metal oxides with acids

When metal is less active than hydrogen

$$CuO_{(S)}$$
 + $H_2SO_{4(aq)}$ \triangle $CuSO_{4(aq)}$ + $H_2O_{(l)}$

GPS-APP

Reaction of metal hydroxides with acids

$$NaOH_{(aq)} + HCl_{(aq)} \longrightarrow NaCl_{(aq)} + H_2O_{(l)}$$

Reaction of metal carbonates or bicarbonates with acid (acidity test)

$$Na2CO3(aq) + 2HCl(aq) \longrightarrow 2NaCl_{(aq)} + H_2O_{(l)} + CO_2$$

Formation of salts

Acidic salts

Produced from reaction of

Strong acid and weak base

As: NH₄Cl produced from (NH₄OH & HCl)

Basic salts

Produced from reaction of

Strong base and weak acid

As: Na2CO3 produced from (NaOH & H2CO3)

Neutral salts

لتعلم التفاعلي عن بعد

2024

Produced from reaction of

- ✓ Strong acid and strong base
 - As: NaCl produced from (NaOH & HCl)
- ✓ Weak acid and weak base

As: CH3COONH4 produced from (CH3COOH & NH4OH)



Youtube Channel:
Mr.Science



Contact: 01001852981



Facebook Page:
Mr Science

Chapter 2

Part 3



*	Write the scientific t	erm:		9'
1.	The compound which	is formed when an a	nnion combines with a ca	ation
			()
2.	The salt which is prod	luced from the reacti	on between a strong acid	d
	and weak base.)
3.	The acidic radical of t	the salt	()
*	Choose the correct a	nswer:		
	1-The acidic radica	l of NaHSO ₄ is	Y	
	a) Na ⁺	b) HSO ₄ -	c)SO ₄ -2	d)H ⁺
	2-The chemical for	mula of iron (III) sul	phate is	
	a) FeSO ₄	b)Fe ₂ (SO ₄) ₃	c)Fe ₃ (SO ₄) ₂	d)Fe ₂ SO ₄
	3-The	acid has three types	of salts	
	a) phosphoric	b)carbonic	c) sulphuric	d)nitric
	4-Salts are formed w	hen acid reacts with.		
	a) bases	b)metal oxide	c)metal carbonate	d)all the previous

5-The color of litmus	dye doesn't chang	ge when it is added to	a solution of
a)NH ₄ Cl	$b)K_2CO_3$	c)NaNO ₃	d)KCl
6-(CH3COO) ₂ Cu is na	amed		
a)calcium II oxalate	b)copper I acetate	
c)calcium II acetate	e d	Ocopper II acetate	
& Give reasons for:			
1-Sodium carbonate is	a base	46	D.,
Use the following radic			
a) NO ₃ ⁻			
b) SO ₄ -2		u lu	
c) Cl ⁻			
❖ Write the name of sodi	um salts of:	APP	
1-sulphuric acid		 تطبيق التعلم ا	
2-Carbonic acid			





